

Shashlik calorimeter option for EIC detector

Sergey Kuleshov

The Center for Theoretical and Experimental Particle Physics

Universidad Andrés Bello

Santiago, Chile


EIC Users Group Yellow Report
Working Group on Calorimetry

March 31, 2020

PbWO and shashlik calorimetry for LHC.

- CMS – PbWO
- ALICE- PbWO and shashlik
- LHCb-shashlik

Non LHC experiments:
 NA-62 –shashlik
 NA-64 – shashlik
 NA-58/COMPASS –shashlik



CERN / DRDC 93-28
 DRDC / P50
 August 13th, 1993

R&D Proposal

Shashlik Calorimetry

A combined Shashlik + Preshower detector for LHC.

J. Badier, G. Bonneaud, A. Busaia, Ph. Busson, C. Charlot, L. Dobrzynski¹, Ch. Gregory, A. Karar, R. Tanaka
Ecole Polytechnique, Palaiseau, FRANCE

Ph. Bloch², J. Christiansen, H. Heijne, M. Glaser, P. Jarron, F. Lemeilleur, I. Karyotakis³, R. Loos, A. Marchioro,
E. Rosso
CERN, Geneva, SWITZERLAND

A. Cheremukhin, A. Egorov, I. Golutvin, I. Ivanchenko, Y. Kretov, Y. Kozlov, V. Minashkin, P. Moissenz, A. Rashevsky,
S. Sergueev, A. Sidorov, E. Zubarev, N. Zamiatin, A. Zarubin,
JINR, Dubna, RUSSIA

S. Abdullin, V. Kafianov, V. Lukashin, A. Nikitenko, Y. Semenov, A. Starodumov, N. Stepanov, Y. Trebukhovskiy
ITEP, RUSSIA

S. Bitjukov, A. Gorin, V. Obraztsov, A. Ostankov, B. Polyakov, V. Rykalin, V. Soudskov, V. Vasilchenko, A. Zaitchenko
IHEP, Protvino, RUSSIA

G. Atayan, S. Gninenko, E. Guschin, V. Issakov, V. Klimenko, V. Marin, Y. Musienko, A. Poblaguev, V. Postoev,
A. Proskurjakov, B. Semenov, I. Semenyuk, V. Sukhov
INR, Moscow RUSSIA

P. Bordalo, C. Lourenco, Ri. Nobrega, V. Popov⁴, S. Ramos, J. Varela
LIP, Lisboa, PORTUGAL

E. Clayton, D. Miller, C. Seez, T.S. Virdee
Imperial College, London, UK

R.M. Brown, D.J.A. Cockerill, J. Connolly, L. Denton, R. Stephenson
Rutherford Appleton Laboratory, Didcot, UK

P.R. Hobson, D.C. Imrie
Brunel University, Uxbridge, UK



CERN / DRDC / 94-53
 RD-18 / STATUS REPORT
 26 January 1995

"CRYSTAL CLEAR COLLABORATION" STATUS REPORT R&D FOR THE STUDY OF NEW FAST AND RADIATION HARD SCINTILLATORS FOR CALORIMETRY AT LHC: RD-18

CALTECH, Pasadena, United States
G. Gratta, D.A. Ma, R. Mount, H. Newman, S. Shevchenko, X. Shi, R. Zhu

CERN, Geneva, Switzerland
E. Auffray, A. Hervé, P. Lecoq (spokesman), J. M. Le Goff

DAPNIA, Saclay, France
R. Chipaux, J.L. Faure, A. Givernaud, E. Locci, J.P. Merlo, J.P. Pansart, Ph. Rebourgeard,
A. Rosowsky, P. Verrechia

INFN, Ancona, Italy
O. Francescangeli, G. Majni, P. Mengucci, D. Rinaldi

INFN, Roma, Italy
S. Baccaro (ENEA), L. Barone, B. Borgia, F. Ferroni, P. D'Atanasio (ENEA), M. Mattioli,
F. De Notaristefani

Institute of Atomic Physics (IFA) Bucharest, Romania
I. Dafinei (Now at CERN), V. Topa

Institute of Physics, Praha, Czech Republic
J.A. Mares, M. Nikl, K. Polak, J. Rosa

IPNL, Université Claude Bernard, Lyon, France
J.P. Burq, M. Chemarin, J. Fay, M. Goyot, B. Ille, P. Lebrun, N. Madjar, H. El Mamouni, J.P. Martin, P. Sahuic

LAPP, Annecy, France
M. Lebeau (Now at CERN), M. Schneegans, J.P. Vialle, M. Vivargent

LLNL, Livermore, United States
B.A. Fuchs, C. Gillespie, J. Heck, F. Holdener, W. Kway, G. Loomis, G.J. Mauger, M.J. Weber, N. Winter,
C.R. Wuest

LPCML, Université Claude Bernard, Lyon, France
B. Moine, C. Pedrini

Lund University, Sweden
S. Andersson, L. Jönsson, G. Svensson

Petersburg Nuclear Physics Institute, St-Petersburg, CIS
V. Samsonov, V. Schegelski, V. Yanovski

Physics Institute, RWTH Aachen, Germany
H. Hillemanns, T. Kirn, W. Krenz, K. Lubelsmeyer, D. Schmitz, J. Schwenke, W. Wallraff

Tata Institute of Fundamental Research, Bombay, India
T. Aziz, S. Banerjee, S. Dutta, S.N. Ganguli, S.K. Gupta, A. Gurtu, S. Mangla, K. Mazumdar, R. Raghavan,
S. Sarkar, K. Sudhakar, S.C. Tonwar


Vrije Universiteit Brussel
T. Beckers, B. Jacobs, J. Nelissen, Z. Shuping, S. Tavernier

Why did CMS select PbWO?

- Space limitation with the magnet and the tracker.
- Only APD was a reasonable option of the photosensor with the strong magnetic field. APD required a temperature stabilization and was coplanar with PbWO
- ECAL endcaps were instrumented with photo triodes.
- The Crystal Clear Collaboration promised very radiation hard PbWO.
- PWO production was concentrated in one place with very tight control of CERN management.

LHCb shashlik calorimeter (was made with the experience of PHENIX and HERA-B)

Main parameters of the LHCb electromagnetic calorimeter.



Downstream view of the ECAL installed (but not completely closed) with the exception of some detector elements above the beam line.
Outer, middle and inner type ECAL modules (right).

$$\sigma_E/E = 10\%/\sqrt{E} \oplus 1\% \text{ (E in GeV)}$$

¹⁶TYVEK of type 1025D used, product of E.I. du Pont de Nemours and Company.

¹⁷Polystherene in pellets, Polystyrol 165H, [Cn Hn], product of BASF AG, Badische Anilin- & Soda Fabrik Aktiengesellschaft, Carl-Bosch-Strasse 38, D-67056 Ludwigshafen, Germany, <mailto:global.info@basf.com>.

¹⁸PTP, p-Terphenyl, 1,4-Diphenylbenzene, [C6 H5 C6 H4 C6 H5], product of FLUKA(TM), Sigma-Aldrich Chemie GmbH, CH-9470, Buchs, Switzerland, <mailto:fluka@sial.com>.

¹⁹POPOP, 1,4-Bis(5-phenyl-2-oxazolyl)benzene, [C24 H16 N2 O2], product of FLUKA(TM), Sigma-Aldrich Chemie GmbH, CH-9470, Buchs, Switzerland, <mailto:fluka@sial.com>.

The light from the scintillator tiles is absorbed, re-emitted and transported by 1.2 mm diameter WLS Kuraray Y-11(250)MSJ fibres, traversing the entire module.

Date: 6/18/18

EIC Detector R&D Progress Report

Project ID: eRD1

Project Name: EIC Calorimeter Development

Period Reported: from 1/1/18 to 6/30/18

Project Leaders: H.Z. Huang and C. Woody

Contact Person: T. Horn, H.Z. Huang, E. Kistenev, S. Kuleshov, O. Tasi, C. Woody

Collaborators

*S.Boose, J.Haggerty, J.Huang, E.Kistenev, E.Mannel, C.Pinkenber,
T. Shimek, S. Stoll and C. Woody*
(PHENIX Group, BNL Physics Department)

E. Aschenauer, S. Fazio, A. Kiselev
(Spin and EIC Group, BNL Physics Department)

Y. Fisyak and W. Schmidke
(STAR Group, Physics Department)
Brookhaven National Laboratory

F. Yang, L. Zhang and R-Y. Zhu
California Institute of Technology

*S. Ali, D. Damenova, J. Paez Chavez, R. Trotta, V. Berdnikov, T. Horn
and I. Pegg*
The Catholic University of America and
Thomas Jefferson National Accelerator Facility

W. Jacobs, G. Visser and S. Wissink
Indiana University

A. Denisov and A. Durum
Institute for High Energy Physics, Protvino, Russia

*M. Battaglieri, A. Celentano, R. De Vita, L. Marsicano, P. Musico, M.
Osipenko, M. Ripani and M. Taiuti*
Istituto Nazionale di Fisica Nucleare, Sezione de Genova e
Dipartimento di Fisica dell'Universit`a, 16146 Genova, Italy

A. Sickles
University of Illinois at Urbana Champaign

C. Aidala, J. Osborn, M. Skoby
University of Michigan

Z. Shi
Massachusetts Institute of Technology

A. Brandin
B. MEPHI, Moscow, Russia

M. Josselin, Ho San, R. Wang, G. Hull and C. Munoz-Camacho
IPN Orsay, France

S. Heppelmann
Pennsylvania State University

C. Gagliardi
Texas A&M University

A. Somov
Thomas Jefferson National Accelerator Facility

*B. Chen, R. Esha, H.Z. Huang, M. Sergeeva, S. Trentalange,
O. Tsai, and L. Wen*
University of California at Los Angeles

Y. Zhang, C. Li and Z. Tang
University of Science and Technology of China

S. Kuleshov
Detector Laboratory of UTFSM, Valparaiso, Chile

H. Mkrtchyan, V. Tadevosyan and A. Asaturyan
Yerevan Physics Institute



Sub Project: Development of a High Density, Fully Projective Shashlik Electromagnetic Calorimeter with Improved Energy, Position and Timing Resolution for EIC

Project Leaders: S. Kuleshov, E. Kistenev and C. Woody

Main goals:

- Optimize the shashlik calorimeter with SiPM read out.
- Update the shashlik calorimeter option for EIC detector.

Production of the prototype in UTFSM, Chile.










Must be a hole for double-end bolt.

Radiation hard plastic scintillator for the Shashlik.

- Polystyrene DOW STYRON™ 637 Polystyrene ([IUPAC Poly\(1-phenylethane-1,2-diyl\)](#))), sometimes abbreviated **PS**, is an [aromatic polymer](#) made from the aromatic [monomer styrene](#), a liquid [hydrocarbon](#) that is commercially manufactured from [petroleum](#) by the [chemical industry](#). Polystyrene is one of the most widely used kinds of [plastic](#).
- There are 2 solutes: 2%pTP(p-Terphenyl ($C_{18}H_{14}$)) and 0,02% POPOP ($C_{24}H_{16}N_2O$).
- This combination of the polystyrene and the solutes is complimentary to BCF-91A WLS fiber (Saint-Gobain).

38 x 38 x 1.5 plastic and W80Cu20 plates (with polyvinyl film).





the front side with clear
Plate for LED

The rear side with
holders for light guides

Fibers with
light guides

9 modules were assembled, tested and sent to BNL





Additional Studies on Light Collection

A set of calorimeter components was sent to from UTFSM to BNL for additional studies on light collection.

These will be used to do detailed studies of the light collection within the absorber stack using lasers, LEDs and radioactive sources in the lab.

Will also test with new 3x3 mm²
15 μ m pixel SiPMs from
Hamamatsu and KETEK.



- Short stack of absorber and scintillator plates
- WLS fibers
- Acrylic light mixers
- SiPM readout board and mounting plate